Re: apache2 start fail on red hat linux 7.2

Source:
http://newsgroups.derkeiler.com/Archive/Comp/comp.infosystems.www.servers.unix/2006−06/msg00020.html

- *From*: John Oliver <joliver@xxxxxxxxxxxxxxx>
- *Date*: 09 Jun 2006 16:43:28 GMT

On 8 Jun 2006 21:42:41 −0700, xxh_nus@xxxxxxxxx wrote:

> Hi, I migrate weblogic7 to weblogic9 and weblogic9 require
> apache2.0.48 above to communicate. I install apache2 to replace
> apache 1.3.26(version is httpd−2.0.50−i686−pc−linux−gnu) on HP
> netserver LP1000r, os is redhat linux 7.2 ,kernel is 2.4.7−10smp, cpu
> is i686.
> actually the apache2 can run on red hat enterprise linux 3.0. can I
> run apache2 on redhat linux 7.2? Please give some advice. Thanks a lot!

Welcome to RPM Hell!

Your problem is that with such an ancient version of Red Hat, each RPM dependency is going to depend on yet more RPM packages, until you wind up with a convoluted mess of interdependant packages, one of which will eventually break a dependency that RH 7 requires.

Short answer − upgrade your OS. Check out CentOS... it's very Red Hat−ish, and each release has a support path of years, not months.

−−
* John Oliver http://www.john−oliver.net/ *
.